## **COOLING PIT DETAIL** HALGAN 1500 - 5000 LITRE S SERIES

## Notes

- Product:

  The Halgan Cooling Pit is used to cool the liquid waste water and provide a discharge to the sewer of not more than 38 o C.

  The inlet and outlet design provide mixing of the waste water. The Halgan Cooling Pit is manufactured from polyethylene.
- cooling tower to lower the temperature. General Application:
  The Halgan Cooling Pit is used for treatment of waste water from Launderette, Commercial/Industrial laundry and boiler blow down. In some applications where large quantities of hot waste water is discharged, it may be required to install a

- or be damaged by vehicles. Tank constructed from Polyethylene.

  The Cooling Pit is to be installed in a location that will not cause a nuisance, obstruct fire access, cannot be vandalised
- 3 4 3 Pit for maintenance and cleaning. The Cooling Pit must have ease of access to pumpout point for maintenance. A hose tap fitted with RPZD backflow protection (as per AS/NZS 3500) must be installed within 5 metres of the Cooling
- Installation above ground

  1. The Cooling Pit is to be supported on a 100mm thick concrete pad. A stand is available for the Halgan S Series Cooling Pit if required.
- 42 All pipes connecting to the Cooling Pit shall be fully supported, there shall be no stress on the tank connections. All stormwater must be diverted away from the Cooling Pit to prevent undermining of foundation. while inspecting and maintaining the Cooling Pit. Any maintenance platform must be installed in accordance with Australian Standard 1657-1992 allowing safe access

Installation below ground

- All connections to the Cooling Pit shall be in accordance with the appropriate authorities.

  Any excavation exceeding 1.5 metres in depth shall comply with the construction safety acts and regulations before
- 53 The Cooling Pit must be filled with water prior to backfilling.
- 6 6 1 E than the required depth The excavated hole width shall be kept as narrow as practicable. The depth shall not be greater than 150mm more


- 6.2. 75mm clearance is required at the shown of the excess depth shall be filled either with 4:1 sand 7.1. Where an excavation has been made deeper than required, the excess depth shall be filled either with 4:1 sand cement compacted to achieve 98% compaction or concrete
- Where installation is in high water table or water charged ground, mine subsidence, filled or unstable areas, the services of a qualified structural engineer is required for certification.
- 9. Bedding material
  9.1. The bedding/backfill material shall be Blue Metal granular material up to 10mm diameter.
- The bedding/backfill shall be minimum 75mm thick.

  The bedding/backfill shall be thoroughly compacted by tampering at 300mm layers.

  The bedding/backfill material shall encase the whole tank.

  Foreign material such as builder's waste, bricks, and concrete shall not be used as backfill.
- The backfill shall be compacted to restore the excavated hole as near as practicable to the normal ground.

	HALG/	AN HCP	HALGAN HCPS DIMENSIONS	SIONS				
MODEL	HEIGHT	HTDIW	LENGTH	BMNTOA	WEIGHT	A (INLET)	B (OUTLET)	OUTLET
HCPS 1500	1515mm	1130mm	2230mm	1500 L	125KG	380mm	530mm	_
HCPS 2000	1515mm	1130mm	2910mm	2000 L	170 KG	380mm	530mm	
HCPS 3000	1680mm	1290mm	3055mm	3000 L	210KG	380mm	530mm	
HSTS 4000	1825mm	1510mm	3250mm	4000 L	250 KG	380mm	460mm	
HSTS 5000	1940mm	1625mm	3200mm	1 000s	300KG	370mm	460mm	



25	
M	
DATE	

-++	+	+	_	
חורנ				
COOLING PIT DETAIL	→ HALGAN 1500 - 5000 LITRE S SERIES			
××	×:	*	×	
H	MS	CHECKED	Z	2
215(		SCALE	29.	3
์CPS1500-5000	1:20	Ľ	29.10.2012	3

REV

DESCRIPTION

CHO

APP

DO NOT SCALE

3rd ANGLE

REF. DWG.

) DRAMBS AND THE REFORMATION F TAMED MISSON AND THE PROPERTY OF SAM PTY LTD AND HIST BOT BE COPED, PRODUCED ON USED WITHOUT THE JTTCH PERMISSION OF HALLAM PTY LTD.